


TETRA UHF


TETRA Portable ¼ Wave Antenna

Typical VSWR*




*Handheld tuning mode mounted on radio

Typical H-Plane (405MHz)



Typical E-Plane (405MHz)



Part No.

SFQ-MT8-TET

Electrical Data

| | |
|------------------------|---------|
| Frequency Range (MHz) | 380-430 |
| Operational Band | TET |
| VSWR (Typical) | < 2: 1 |
| Gain: Isotropic (peak) | 2dBi |
| Impedance | 50Ω |
| Max Input Power (W) | 25 |

Mechanical Data

| | | |
|---------------------|---|------------|
| Dimensions (mm) | Length | 180 (7.1") |
| | Diameter | 11 (0.43") |
| Operating Temp (°C) | -30° / +80°C (-22° / +176°F) | |
| Material | Polyamide moulding, PVC jacketed steel wire | |
| Colour Coding | Black | |

Connector

| | |
|------|--------|
| Type | MTP850 |
|------|--------|

Panorama Antennas Ltd

Frogmore, London, SW18 1HF, United Kingdom

T: +44 (0)20 8877 4444

F: +44 (0)20 8877 4477

E: sales@panorama-antennas.com

www.panorama-antennas.com

Waiver: The data given above is indicative of the performance of the product/s under particular conditions and does not imply a guarantee of performance. These specifications are subject to change without notice.